



Commercial Safes 2013/14

BURTONSAFES
THE SURE DEFENCE



Burton Safes Limited
t 01484 663388 f 01484 666338
enquiries@burtonsafes.co.uk
www.burtonsafes.co.uk

designed and produced by www.claytoncreative.co.uk



index

Freestanding Security Safes

Eurovault S2	3
Eurovault Aver Grade 0	4
Eurovault Aver Grade 1	5
Eurovault Aver Grade 2	6
Eurovault Aver Grade 3	7
Eurovault Atlas Grade 4	8
Eurovault Atlas Grade 5	9
Eurovault Atlas Grade 6	10
Eurovault Atlas Grade 7	11

Fire & Security Safes

Firesec 4/60	12
Firesec 4/60D	13
Firesec 10/60	14
Firesec 10/120	15
Firebrand XL / Firebrand MK/II	16
Fire Resistant Filing Cabinets	17
Data Safe	18
Server Safe	19

Deposit Safes

Counter Safes / Till Safes	20
Vehicle Safes / Deposit Safes	21
Teller Deposit Safes	21
Firesec Deposit Safes Grade 2/3	22
Firesec Deposit Safes Grade 4/5	22
VersaSafe / Electrum Safe	23

Hotel Safes

Standard MK/II /Lambent/	
Lambent Plus/Biosec H/	24
Shanghai Safe Deposit Boxes	

Key Safes

CK/CE Series / KS Series	25
--------------------------	----

Secure Storage

SDC Cabinet	26
Valens Computer Cabinets	27
Medical Cabinets	28

Strongrooms

Transporta Strongrooms	29
Eurovault Strongrooms	30
Kronos & Kratos Strongrooms	
Safe Deposit Boxes	31
Strongroom Doors	
Talos Strongrooms / Panic Rooms	32

Access Control & Safe Locks

TSE	33
Safe Locks	34

Additional physical security

Security Doors & Glazing, Counters	
Transfer Units, ATM protection	34

Delivery, Installation, Services, & Warranties	35
--	----



Eurovault S2, Size 2



Fingerprint Option



Eurovault S2, Size 1

Burton Safes are a leading supplier of Safes and Strongrooms in the UK & Ireland. With a vast array of products available from stock, Burton Safes offer one of the most diverse and innovative ranges of safes in the UK. We work hard to ensure that we deliver high quality safes, good value for money and fast, efficient service.

This brochure contains a product range aimed specifically at commercial customers and high net worth private clients. The safes in this brochure are insurance approved and, where applicable, they are independently tested and certified to European standards EN14450, EN1143-1, EN1143-2, EN1047 & EN15659.

All Burton Safes branded products carry a two year warranty in respect of materials and workmanship. Please note that the warranty applicable to the lock is limited to that offered by the lock's manufacturer.

This brochure gives information on just a part of our product range. If you would like details of other safes please visit our website www.burtonsafes.co.uk or call us on 01484 663388 for further literature.

Unless otherwise stated all dimensions are in millimetres and are in the order Height x Width x Depth. All weights and dimensions are approximate and they are often rounded to the nearest 5mm or 5kg. E & OE.

Cash ratings The cash ratings given in this brochure are only a guide. Some insurance companies may apply a lower or higher rating than those indicated. If insurance cover is important you should always check with your underwriter before purchasing your safe.

features

- Independently attack tested and certified to EN14450 S2 by Sold Secure
- Ideal for the storage of change, till drawers and confidential documents
- 3 way moving boltwork with relocking device secures the door in case of attack
- Full length dead bar means that the door stays secure even if the hinges are cut off
- High security key lock as standard
- Option of mechanical combination, electronic or biometric locks
- Height adjustable shelving with capacity of 50kg
- Back and base fixing points 2+2

Model	Size 1	Size 2
External HxWxD (mm)	500 x 420 x 420	700 x 420 x 500
Internal HxWxD (mm)	485 x 405 x 335	685 x 405 x 415
Weight (kg)	100kg	150kg
Volume (Litres)	65	115
Shelves	1	2

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.



The following icons are meant as a visual guide to help you quickly compare the security and fire protection offered by different products. The higher the figure the more protection that is offered. If you require more detailed information please contact us or your supplying stockist.



Eurovault Aver Grade 0 £6,000 cash rating, £60,000 jewellery rating

Eurovault Aver Grade 1 £10,000 cash rating, £100,000 jewellery rating



features

- Tested and certified by ECBS to EN1143-1 Grade 0
- Lighter weight construction for easier installation
- 10mm thick laser cut, solid steel door
- Double walled steel body, filled with special security composite
- Three way locking bolts
- Special drill protection of the lock and boltwork
- Relocking device secures door in case of attack
- Quality machined parts ensure a high level of finish and extend product longevity
- High security key lock as standard
- Option of mechanical combination, electronic or biometric locks
- Option of dual locking*
- Height adjustable shelving
- Back and base fixing**

*Not size 1 & 2 **from Spring 2013

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	340 x 500 x 300	460 x 440 x 385	670 x 440 x 385
Internal HxWxD (mm)	270 x 450 x 215	390 x 390 x 290	600 x 390 x 290
Weight	66kg	86kg	120kg
Volume (Litres)	26	45	71
Shelves	1	1	1
Model	Size 4	Size 5	
External HxWxD (mm)	900 x 440 x 385	640 x 650 x 550	
Internal HxWxD (mm)	830 x 390 x 290	570 x 605 x 465	
Weight	156kg	178kg	
Volume (Litres)	96	160	
Shelves	2	2	
Model	Size 6	Size 7	
External HxWxD (mm)	840 x 650 x 550	1240 x 650 x 550	
Internal HxWxD (mm)	770 x 605 x 465	1140 x 590 x 435	
Weight	215kg	292kg	
Volume (Litres)	216	293	
Shelves	2	2	

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.



features

- Tested and certified by ECBS to EN1143-1 Grade 1
- Lighter weight construction for easier installation
- 10mm thick laser cut, solid steel door
- Double walled steel body, filled with special security composite
- Three way locking bolts
- Special drill protection of the lock and boltwork
- Relocking device secures door in case of attack
- Quality machined parts ensure a high level of finish and extend product longevity
- High security key lock as standard
- Option of mechanical combination, electronic or biometric locks
- Option of dual locking*
- Height adjustable shelving
- Back and base fixing**

*Not size 1 & 2 **from Spring 2013

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	340 x 500 x 300	460 x 440 x 385	670 x 440 x 385
Internal HxWxD (mm)	270 x 450 x 215	390 x 390 x 290	600 x 390 x 290
Weight	66kg	86kg	120kg
Volume (Litres)	26	45	71
Shelves	1	1	1
Model	Size 4	Size 5	
External HxWxD (mm)	900 x 440 x 385	640 x 650 x 550	
Internal HxWxD (mm)	830 x 390 x 290	570 x 605 x 465	
Weight	156kg	178kg	
Volume (Litres)	96	160	
Shelves	2	2	
Model	Size 6	Size 7	
External HxWxD (mm)	840 x 650 x 550	1240 x 650 x 550	
Internal HxWxD (mm)	770 x 605 x 465	1140 x 590 x 435	
Weight	215kg	292kg	
Volume (Litres)	216	293	
Shelves	2	2	

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.



Eurovault Aver Grade 2 £17,500 cash rating, £175,000 jewellery rating

Eurovault Aver Grade 3 £35,000 cash rating, £350,000 jewellery rating



Eurovault Aver Grade 2, Size 2



Handle Options



Fingerprint Option



Paint Options

- Jet Black
- Signal White
- Mint Turquoise
- Ultramarine Blue
- Pure Red
- Antique Pink

Subject to an additional charge and 3-4 week lead time



Flock Options

- Pink
- Biscuit
- Black
- Blue
- Burgundy

Flocking options available for both interior/exterior
Subject to additional charge and 8 week lead time



Eurovault Aver Grade 3, Size 6



Handle Options



Fingerprint Option



Paint Options

- Jet Black
- Signal White
- Mint Turquoise
- Ultramarine Blue
- Pure Red
- Antique Pink

Subject to an additional charge and 3-4 week lead time



Flock Options

- Pink
- Biscuit
- Black
- Blue
- Burgundy

Flocking options available for both interior/exterior
Subject to additional charge and 8 week lead time

features

- Tested and certified by ECBS to EN1143-1 Grade 2
- Lighter weight construction for easier installation
- Double walled steel body and door filled with special multi-layered security composite
- Three way locking bolts
- Special drill protection of the lock and boltwork
- Relocking device secures door in case of attack
- Quality machined parts ensure a high level of finish and extend product longevity
- High security key lock as standard
- Option of mechanical combination, electronic or biometric locks
- Option of dual locking*
- Height adjustable shelving
- Back and base fixing**

*Not size 1 & 2 **from Spring 2013

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	500 x 510 x 510	670 x 510 x 510	610 x 680 x 510
Internal HxWxD (mm)	365 x 385 x 350	535 x 385 x 350	475 x 555 x 350
Weight	123kg	150kg	186kg
Volume (Litres)	51	74	92
Shelves	1	1	1

Model	Size 4	Size 5
External HxWxD (mm)	810 x 680 x 510	1010 x 680 x 510
Internal HxWxD (mm)	675 x 555 x 350	875 x 555 x 350
Weight	225kg	265kg
Volume (Litres)	130	170
Shelves	2	2

Model	Size 6	Size 7
External HxWxD (mm)	1320 x 680 x 510	1510 x 850 x 600
Internal HxWxD (mm)	1185 x 555 x 350	1375 x 725 x 440
Weight	335kg	499kg
Volume (Litres)	229	440
Shelves	3	3

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.



features

- Tested and certified by ECBS to EN1143-1 Grade 3
- Lighter weight construction for easier installation
- Double walled steel body and door filled with special multi-layered security composite
- Three way locking bolts
- Special drill protection of the lock and boltwork
- Relocking device secures door in case of attack
- Quality machined parts ensure a high level of finish and extend product longevity
- High security key lock as standard
- Option of mechanical combination, electronic or biometric locks
- Option of dual locking*
- Height adjustable shelving
- Back and base fixing**

*Not size 1 & 2 **from Spring 2013

Model	Size 0	Size 1	Size 2
External HxWxD (mm)	500 x 510 x 510	670 x 510 x 510	990 x 510 x 510
Internal HxWxD (mm)	365 x 385 x 330	535 x 385 x 330	855 x 385 x 330
Weight	220kg	165kg	225kg
Volume (Litres)	47	68	110
Shelves	1	1	2

Model	Size 3	Size 4	Size 5
External HxWxD (mm)	1320 x 680 x 510	1320 x 850 x 510	1660 x 680 x 510
Internal HxWxD (mm)	1185 x 555 x 330	1185 x 725 x 330	1525 x 555 x 330
Weight	430kg	470kg	520kg
Volume (Litres)	217	280	280
Shelves	3	3	4

Model	Size 6
External HxWxD (mm)	1660 x 850 x 510
Internal HxWxD (mm)	1525 x 725 x 330
Weight	595kg
Volume (Litres)	365
Shelves	4

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.



Eurovault Atlas Grade 4 £60,000 cash rating, £600,000 jewellery rating

Eurovault Atlas Grade 5 £100,000 cash rating, £1,000,000 jewellery rating



Eurovault Atlas Grade 4, Size 1



Eurovault Atlas Grade 4, Size 2



Fingerprint Option



Eurovault Atlas Grade 5, Size 4



Eurovault Atlas Grade 5, Size 3



Fingerprint Option

features

- Tested and certified by SSF/SBSC to EN1143-1 Grade 4
- Double walled steel body and door filled with high security concrete
- Three way locking bolts
- Special drill protection of the lock and boltwork
- Multiple re-locking devices secure door in case of attack
- Dual keylock as standard
- Choice of PIN code or fingerprint lock upgrades
- Adjustable shelves in each model
- Base fixing

Model	Size 1	Size 2
External HxWxD (mm)	780 x 690 x 660*	1080 x 690 x 660*
Internal HxWxD (mm)	600 x 500 x 400	900 x 500 x 400
Weight	620kg	730kg
Volume (Litres)	120	180
Shelves	1	2

Model	Size 3	Size 4
External HxWxD (mm)	1380 x 690 x 660*	1680 x 690 x 660*
Internal HxWxD (mm)	1200 x 500 x 400	1500 x 500 x 400
Weight	860kg	990kg
Volume (Litres)	240	300
Shelves	3	4

*Add 25mm to external width for hinges, Add up to 60mm to external depth for handle and keypads

features

- Tested and certified by SSF/SBSC to EN1143-1 Grade 5
- Double walled steel body and door filled with high security concrete
- Three way locking bolts
- Special drill protection of the lock and boltwork
- Multiple re-locking devices secure door in case of attack
- Dual keylock as standard
- Choice of PIN code or fingerprint lock upgrades
- Adjustable shelves in each model
- Base fixing

Model	Size 1	Size 2
External HxWxD (mm)	780 x 690 x 660*	1080 x 690 x 660*
Internal HxWxD (mm)	600 x 500 x 400	900 x 500 x 400
Weight	965kg	1135kg
Volume (Litres)	120	180
Shelves	1	2

Model	Size 3	Size 4
External HxWxD (mm)	1380 x 690 x 660*	1680 x 690 x 660*
Internal HxWxD (mm)	1200 x 500 x 400	1500 x 500 x 400
Weight	1335kg	1600kg
Volume (Litres)	240	300
Shelves	3	4

*Add 25mm to external width for hinges, Add up to 60mm to external depth for handle and keypads



Eurovault Atlas Grade 6 £150,000 cash rating, £1,500,000 jewellery rating

Eurovault Atlas Grade 7 £250,000 cash rating, £2,500,000 jewellery rating



Eurovault Atlas Grade 6, Size 5



Eurovault Atlas Grade 6, Size 3



Fingerprint Option



Eurovault Atlas Grade 7, Size 3



Eurovault Atlas Grade 7, Size 3



Fingerprint Option

features

- Tested and certified by SSF/SBSC to EN1143-1 Grade 6
- Double walled steel body and door filled with high security concrete
- Massive three way locking rectangular bolts
- Special drill protection of the lock and boltwork
- Multiple re-locking devices secure door in case of attack
- Dual keylock as standard
- Choice of PIN code or fingerprint lock upgrades*
- Adjustable shelves in each model
- Base fixing

*Lock upgrades must be EN1300 class 3

Model	Size 1	Size 2
External HxWxD (mm)	1290 x 750 x 720*	1590 x 750 x 720*
Internal HxWxD (mm)	900 x 500 x 400	1200 x 500 x 400
Weight	1490kg	1750kg
Volume (Litres)	180	240
Shelves	2	2

Model	Size 3
External HxWxD (mm)	1890 x 750 x 720*
Internal HxWxD (mm)	1600 x 500 x 400
Weight	2100kg
Volume (Litres)	300
Shelves	4

*Add 25mm to external width for hinges, Add up to 60mm to external depth for handle and keypads



features

- The highest security rated safe available in the UK
- Tested and certified by SSF/SBSC to EN1143-1 Grade 7
- Double walled steel body and door filled with high security concrete
- Massive three way locking rectangular bolts
- Special drill protection of the lock and boltwork
- Multiple re-locking devices secure door in case of attack
- Dual keylock as standard
- Choice of PIN code or fingerprint lock upgrades*
- Adjustable shelves in each model
- Base fixing

*Lock upgrades must be EN1300 class 3

Model	Size 1	Size 2
External HxWxD (mm)	1315 x 760 x 730*	1615 x 760 x 730*
Internal HxWxD (mm)	900 x 500 x 400	1200 x 500 x 400
Weight	1650kg	1950kg
Volume (Litres)	180	240
Shelves	2	2

Model	Size 3
External HxWxD (mm)	1915 x 760 x 730*
Internal HxWxD (mm)	1600 x 500 x 400
Weight	2350kg
Volume (Litres)	300
Shelves	4

*Add 25mm to external width for hinges, Add up to 60mm to external depth for handle and keypads



Firesec 4/60 £4,000 cash rating, 60 minutes fire protection for paper


Firesec 4/60D £4,000 cash rating, 60 minutes fire protection for data



Firesec 4/60, size 4



Firesec 4/60, size 3



Firesec 4/60D, size 2



Firesec 4/60D, size 1



Fingerprint Option

features

- Independently attack and fire tested by ECBS to EN14450 S2 and EN15659 LFS 60P
- 60 minute fire test at temperatures up to 900°C
- A unique combination of tested security and fire protection
- A high level of fire protection combined with good security
- Ideal office safe for sensitive and important papers & files
- High quality machined parts for a superior finish
- Superior anti-rust treatment
- Choice of key or electronic locking
- Removable shelf in sizes 1 and 2. Adjustable shelves in sizes 3 and 4
- Option of pullout shelves, hanging frame and lockable coffer in size 4
- Base fixing

Model	Size 1	Size 2
External HxWxD (mm)	345 x 480 x 460	490 x 480 x 460
Internal HxWxD (mm)	185 x 330 x 300	330 x 330 x 300
Weight	64kg	81kg
Litres	18	32
Shelves	1	1
Fire Rating	60 minutes	60 minutes

Model	Size 3	Size 4
External HxWxD (mm)	670 x 480 x 460	1950 x 940 x 585
Internal HxWxD (mm)	510 x 330 x 300	1760 x 800 x 390
Weight	103kg	452kg
Litres	50	535
Shelves	1	4
Fire Rating	60 minutes	60 minutes

Add 60mm to external depth for handle and hinges.



features

- Independently tested and certified to EN14450 S2 by ECBS
- Independently tested and certified to NT Fire 017 60D
- Protect your sensitive data and valuables in one safe with this unique combination of security and fire protection
- Will protect your computer media against fire, gases and extinguishing water
- Supplied with standard adjustable shelves
- Optional upgrade to pull out shelves and disk trays
- Electronic locking as standard
- Optional upgrade to Fingerprint locking
- Base fixing

Model	Size 1	Size 2
External HxWxD (mm)	660 x 630 x 650	1200 x 630 x 650
Internal HxWxD (mm)	520 x 490 x 460	1060 x 490 x 460
Weight	225kg	359kg
Litres	118	240
Shelves	1	2
Fire Rating	60 minutes	60 minutes

Model	Size 3	Size 4
External HxWxD (mm)	1750 x 630 x 650	1750 x 930 x 650
Internal HxWxD (mm)	1610 x 490 x 460	1610 x 790 x 460
Weight	499kg	672kg
Litres	365	587
Shelves	4	4
Fire Rating	60 minutes	60 minutes

Add 60mm to external depth for handle and hinges.



Firesec 10/60 £10,000 cash rating - 60 minutes fire protection for paper

Firesec 10/120 £10,000 cash rating - 120 minutes fire protection for paper



Firesec 10/60, Size 3




Firesec 10/60, Size 4




Fingerprint Option

Paint Options



Subject to an additional charge and 3-4 week lead time

Flock Options



Flocking options available for both interior/exterior
Subject to additional charge and 8 week lead time



Handle Options

features

- Independently attack and fire tested by ECBS to EN1143-1 Grade 1 & EN15659 LFS 60P
- A high level of fire protection combined with a high level of security
- Ideal home or commercial safe for both valuables and papers
- Double walled steel body and door filled with special fire and security composite
- High quality machined parts for a superior finish
- Superior anti-rust treatment
- Choice of key, electronic or biometric locking
- Internal coffer fitted as standard in models 2 & 3
- Option of pull out shelves and hanging frames in size 4
- Adjustable shelf in each model
- Base fixing

Model	Size 1	Size 2
External HxWxD (mm)	490 x 480 x 445	750 x 555 x 545
Internal HxWxD (mm)	330 x 330 x 290	335 x 405 x 390*
Weight	101kg	165kg
Volume (Litres)	31	93
Shelves	1	1
Fire Rating	60 minutes	60 minutes

Model	Size 3	Size 4**
External HxWxD (mm)	1100 x 555 x 545	1950 x 940 x 585
Internal HxWxD (mm)	705 x 405 x 390*	1760 x 800 x 390
Weight	230kg	658kg
Volume (Litres)	148	535
Shelves	1	4
Fire Rating	60 minutes	60 minutes

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.
*Excluding internal coffer. **Not available until Spring/Summer 2013.



Firesec 10/120, Size 1



Fingerprint Option

features

- Independently attack and fire tested in Sweden to EN1143-1 Grade 1 & NT 017 120P
- A high level of fire protection combined with a very high level of security
- Ideal home or commercial safe for both valuables and papers
- Double walled steel body and door filled with special fire and security composite
- Special drill protection of the lock and boltwork
- Multiple relocking devices secure door in case of attack
- Choice of key, electronic or biometric locking
- Adjustable shelf in each model
- Base fixing

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	570 x 565 x 540*	770 x 565 x 540*	1190 x 565 x 540*
Internal HxWxD (mm)	400 x 390 x 330	600 x 390 x 330	1020 x 390 x 330
Volume (Litres)	52	77	131
Weight	200kg	260kg	365kg
Shelves	1	1	2
Fire Rating	120 minutes	120 minutes	120 minutes

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.

*Please add 20mm to external width for hinges.



Firebrand XL £1,000 cash rating - 60 minutes fire protection for paper

Fire Resistant Filing Cabinets up to 60 minutes fire protection for paper & data*

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	925 x 565 x 450	1200 x 705 x 585	1655 x 705 x 585
Internal HxWxD (mm)	700 x 420 x 300	930 x 545 x 400	1345 x 545 x 400
Volume (Litres)	108	234	337
Weight	150kg	255kg	370kg
Shelves	2	2	3
Drawers	1	1	1

Please allow an extra 50mm to external depth for handles, hinges and any retro fit locks.

features

- Independently fire tested & certified to EN15659 LFS 60P by ECBS
- 1 hour fire protection for paper documents
- Electronic locking on all models as standard
- Batteries located externally (included) so you are never locked out in the vent of power failure
- Removable tray in all models
- Removable shelf in sizes 2 & 3
- Dead bolts secure the door, even if the hinges are cut off
- High quality machines parts for a superior finish
- Superior anti-rust treatment
- Base fixing



Firebrand XL Size 2



Firebrand XL Size 3



FF200 with Standard Lock



FF400 with Kaba 552 Lock



Fingerprint Option



Firebrand MK/II



Model	Size 1	Size 2	Size 3
External HxWxD (mm)	300x430x365	495x365x425	510x445x425
Internal HxWxD (mm)	190x325x235	385x255x295	405x340x295
Weight	34kg	44kg	51kg
Litres	15	29	41

Please allow an extra 20mm to external depth for handles, hinges and any retro fit locks.

features

- Independently fire tested & certified to EN15659 LFS 60P by ECBS
- 1 hour fire protection for paper documents
- Electronic locking on all models as standard
- Batteries located externally (included) so you are never locked out in the vent of power failure
- Emergency key in case of lost code
- Dead bolts secure the door, even if the hinges are cut off
- High quality machines parts for a superior finish
- Superior anti-rust treatment
- Base fixing

features

- 60 minutes fire test for paper
- Independently fire tested by UL to 350 1 hour rating
- Tested at temperatures of up to 1000°C
- One high security digital or combination lock secures all drawers
- Option of mechanical combination or key locking on request
- Option of cam locks on individual drawers
- Each drawer is secured by 4 high security bolts
- Each drawer can hold up to 100kg
- Supplied complete with drawer dividers
- Optional data protection insert*
- Suitable for foolscap files

Model	FF200	FF400
External HxWxD (mm)	820 x 540 x 680	1530 x 540 x 680
Drawer Size HxWxD (mm)	280 x 385 x 520	280 x 385 x 520
Weight	170kg	320kg
Volume per Drawer (Litres)	56	56
Number of Drawers	2	4
Fire Rating	60 minutes	60 minutes

Please allow an extra 50mm to external depth for handles, hinges and any retro fit locks.

* Data protection only achieved when using the special insert



Burton Data Safe up to 120 hours fire protection for data

Server Safe – Security, fire and water protection for your servers



Burton Data Safe 120TDE



Burton Data Safe 825TDE

Model	125SDE	530SDE	070SDE
External HxWxD (mm)	410 x 350 x 430	525 x 405 x 440	645 x 500 x 500
Internal HxWxD (mm)	220 x 155 x 205	310 x 195 x 200	415 x 275 x 320
Weight	43kg	65kg	120kg
Volume (Litres)	7	12	26
Shelves	1	1	2
Fire Rating	60 minutes	60 minutes	90 minutes

Model	825TDE	120TDE	130TDE
External HxWxD (mm)	830 x 690 x 720	1220 x 690 x 720	1445 x 690 x 720
Internal HxWxD (mm)	485 x 400 x 405	875 x 400 x 405	1100 x 400 x 405
Weight	265kg	355kg	480kg
Volume (Litres)	80	143	180
Shelves	1	1	1
Drawers	2	4	5
Fire Rating	120 minutes	120 minutes	120 minutes

Model	635TDE
External HxWxD (mm)	1745 x 1200 x 720
Internal HxWxD (mm)	1400 x 800 x 405
Weight	765kg
Volume (Litres)	450
Shelves	4
Drawers	10
Fire Rating	120 minutes

Please allow an extra 50mm to external depth for handles, hinges and any retro fit locks.

Capacity Table							
Model	125SDE	530SDE	070SDE	825TDE	120TDE	130TDE	635TDE
4mm DAT	74	150	312	232	464	580	1160
8mm DAT	33	54	168	114	228	285	570
CD	30	53	111	188	376	470	940
DLT	16	20	62	88	168	225	420
LTO/Ultrium (without case)	-	-	-	-	176	220	440
LTO/Ultrium (with case)	22	36	96	114	228	285	570
3590 Cartridge (without case)	12	22	64	96	192	240	480

features

- Independently fire tested in Sweden to NT FIRE 017
- Offers between 60-120 minutes fire protection for CD's and computer media at temperatures of up to 1000°C
- Protection against smoke and water damage
- Protection against magnetic fields and electrostatic phenomena
- High quality electronic locking as standard
- A combination of adjustable shelving and dividable drawers allows for efficient storage of various objects
- Larger models feature castors for easy manoeuvrability



Server Safe



Internal Server Safe

features

- Specialist fire, water and security protection for your servers
- Protect your company's most valuable assets – your data and your ability to operate normal business functions
- Server Safe offers a full Fire System, not just regular protection offered by many fire/datasafes
- Two different levels of fire resistance are offered - 30 minutes and 120 minutes (FS30 & FS120 according to DIN 4102/2)
- Optional fire monitoring and extinguishing system
- Protection against water damage from sprinklers, fire hoses, flooding and flue gas
- Climate control with no hotspots
- Option to include powerful heat exchangers
- Option of air conditioning with refrigerant or water
- Option of fully redundant air conditioning system
- Option of different cooling power up to 20kw. Larger systems available on request
- Innovative sealing system up to IP67 for cables and vent compartments
- Security protection to EN1627, WK3
- High security safe lock as standard
- Modular system allows simple expansion
- Option of one or two door systems
- Multiple sizes to suit your specific servers



Counter Safes

Vehicle Safes and Deposit Safes

features

- Protect cash at the vulnerable point
- Reduces theft, smash and grab raids and internal fraud
- Choice of security levels and locking options
- Counter Safe Extra can be removed from its fixing plate and contains a lockable inner compartment
- Counter Safe Extra neatly stacks up to 350 notes or cheques
- Cart/1 has electronic locking with time delay
- Cart/1 suitable for use in Raid Control approved premises



Counter Safe Extra

Cart/1



Model	Counter Safe Extra	Cart/1
External HxWxD (mm)	225 x 100 x 190	230 x 300 x 150
Weight	3kg	10kg
Slot Size (mm)	8 x 95	10 x 30

features

- Ideal for use in vans/lorries on delivery rounds
- A range of deposit slots and security levels to suit your requirements
- Base plates attach to the vehicle and the main safe body is locked in to these
- The safe has two locks, one for the base plate and one for the safe door
- The two locks are on different keys. This allows drivers to remove the safe from the base plate without having access to the contents of the safe



Model	Mini Cashguard	Junior Cashguard	Cashguard
External HxWxD (mm)	255 x 165 x 150	265 x 205 x 150	380 x 205 x 150
Internal HxWxD (mm)	210 x 160 x 145	235 x 200 x 120	350 x 200 x 120
Weight	5kg	10g	15kg
Slot Size (mm)	90 x 32	105 x 12	150 x 90

Till Safes £1,500 - £10,000 cash rating

features

- Ideal for the storage of till drawers
- Store a minimum of 4 drawers in each model
- 3 different security levels to suit your requirements
- High security key lock as standard
- Electronic or biometric locking available on request
- Removable shelves in each model
- Adjustable shelves in models EUS2 and EU-TILL/I
- Back and base fixing



Till Safe



Model	Till Safe	EU-TILL/I	EU-S2-2
External HxWxD (mm)	435 x 475 x 450	640 x 650 x 550	700 x 420 x 500
Internal HxWxD (mm)	430 x 470 x 400	570 x 605 x 465	685 x 405 x 415
Weight	40kg	178kg	150g
Drawer Size (mm)	405 x 400	555 x 465	335 x 415
Shelves	4	2	3
Cash Rating	£1,500	£10,000	£4,000

Till safe only available with single key lock

Teller Deposit Safes £2,000 - £3,000 cash rating

features

- Ideal for use in retail shops, pubs, clubs, restaurants and other cash handling environments
- Choice of deposit methods and trap sizes to suit your requirements
- V-51 & V-76 deposit via a front loading V-Trap system
- R-51 deposits via a top loading rotary drum
- Mini Teller deposits via a simple front loading slot
- Key locking as standard
- Electronic or biometric locking available on request
- Back and base fixing 2 + 2



R-51

V-76

V-51

Model	Mini Teller	R-51	V-51	V-76
External HxWxD (mm)	305 x 205 x 255	510 x 355 x 355	510 x 355 x 355	765 x 510 x 510
Weight	15kg	40kg	40kg	80kg
Slot Size (mm)	20 x 135 x 200	255 x 105 x 120	45 x 265 x 190	45 x 390 x 200
Cash Rating	N/A	£2,000 - £3,000	£2,000 - £3,000	£2,000 - £3,000

Please allow an extra 50mm to external depth of Tellers' handles, hinges and any retro fit locks.

Only model V-76 can accommodate 2 locks



Firesec Deposit Safes Grade 2/3 £17,500 - £35,000 cash rating

VersaSafe® Intelligent Deposit Safes



features

- Independently tested and certified to EN1143-2 Grade 2/3
- Drawer deposit means staff can deposit without having access to the main safe
- Proven method of protecting your business and your staff from hold up situations
- Reduces internal fraud
- Deposit drawer is secured by a high security key lock
- Main safe door is also secured with a separate high security key lock
- Electronic or biometric locking is available in lieu of either key lock
- Rear facing/through wall deposit is available to order
- Base fixing

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	770 x 565 x 540*	970 x 565 x 540*	1390 x 565 x 540*
Internal HxWxD (mm)	400 x 390 x 330	600 x 390 x 330	1020 x 390 x 330
Weight	400/420kg	485/525kg	690/740kg
Volume (Litres)	51	77	131
Maximum Deposit Size(mm)	100 x 320 x 210	100 x 320 x 210	100 x 320 x 210

Please allow an extra 60mm to external depth for handles, hinges and any retro fit locks.

*Please add 20mm to external width for hinges.



features

- Reduces internal fraud
- Reduces CIT costs
- Provides the possibility of provisional credit
- Validates notes as they are deposited
- Counts and records all stored notes
- Full audit of all operations
- Multiple users with tiered access rights
- Superior remote monitoring software, that can be configured to trigger automatic alerts via email or text
- Cloud based software package allows you to securely access data from anywhere in the world

- User friendly local software including full colour display screen
- Thermal printer
- Option of single or bulk note feeder
- Envelope drop slot
- UL291 Level 1 construction. EN1143-2 Grade 2 version in development
- Choice of locking options for safe door, including Cencon
- National maintenance agreements available
- CIT packages available

Model	VersaSafe
External HxWxD (mm)	725 x 410 x 560
Weight	181kg
Validator	MEI (Single or Bunch Note Feeder)
Currencies accepted	GBP, Euros, USD
Note capacity	1200 per cassette
Operating System	Microsoft Windows

Software	Microsoft Windows
Display	5.7" Colour VGA
Printer	60mm graphics
Comms	TCP/IP & SSL
Safe	UL291 Level 1



Firesec Deposit Safes Grade 4/5

check with insurer for specific cash rating

features

- Independently tested Eurograde safes with deposit drawer system added
- Drawer deposit that means staff can deposit without having access to the main safe
- Proven method of protecting your business and your staff from hold up situations
- Reduces internal fraud
- Deposit drawer is secured by a high security key lock
- Main safe door is also secured with a separate high security key lock
- Electronic or biometric locking is available in lieu of either key lock
- Rear facing/through wall deposit is available to order
- Base fixing



Model	Size 1	Size 2	Size 3
External HxWxD (mm)	980 x 690 x 660*	1280 x 690 x 660*	1580 x 690 x 660*
Internal HxWxD (mm)	600 x 500 x 400	900 x 500 x 400	1200 x 500 x 400
Weight	700kg	850kg	950kg
Volume (Litres)	120	180	240

Please allow an extra 50mm to external depth for handles, hinges and any retro fit locks.

*Please add 20mm to external width for hinges.



features

- Reduces internal fraud
- Reduces CIT costs
- Provides the possibility of provisional credit
- Validates notes as they are deposited
- Counts and records notes as they are validated
- Processes between 300-600 bank notes per minute
- Very quick and simple to operate – no delays in logging on and depositing cash
- User friendly touch screen display
- Cash is deposited into self-sealing bags – CIT friendly
- Bar code reader and optional Dallas key reader for bag and staff identification
- Thermal printer
- Self-diagnostic checks
- Very simple exchange of printer paper
- Simple release of any note jams
- Self-diagnostic systems
- Full audit of all processes and events
- Cloud based software to monitor cash levels and user operation
- Grade 4 safe housing (tested and certified by LOM in Spain*)



Electrum



* Please note that UK insurers may not apply a full Grade 4 rating to this safe. If insurance cover is important please check with your underwriter before purchasing this safe.

Hotel Safes £1,000 cash rating

Heavy Duty Key Cabinets

features

- A range of hotel room safes to suit your requirements
- All models feature master codes and emergency keys that are keyed alike
- All models are designed for simple guest operation
- Standard MK/II offers excellent value for money
- Lambent will accommodate laptops with a screen size of up to 17"
- Lambent features display screen and backlit keypad for ease of use
- Lambent features motorised locking
- Lambent Plus features an audit trail facility*
- Biosec H offers the option of fingerprint locking in special hotel mode



Model	Standard MK/II	Lambent	Lambent Plus	Biosec H
External HxWxD (mm)	200 x 310 x 200	200 x 485 x 360	200 x 485 x 360	200 x 445 x 380
Internal HxWxD (mm)	195 x 305 x 120	195 x 480 x 290	195 x 480 x 290	195 x 440 x 320
Weight	8kg	13kg	13kg	16kg

*Additional hand held download device needed to access Audit Trail.

features

- A top quality range of key cabinets that offer a very high level of security
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 8mm solid steel door and 3mm steel body
- Flush fitting, laser cut door for added security
- Door secured by two solid locking bolts
- High security, 8 lever key lock or electronic safe lock
- Electronic versions features emergency key and external power point in case of lock out
- Back fixing x 4



CE40

Model	CK / CE40	CK / CE120
External HxWxD (mm)	470 x 360 x 140	470 x 360 x 140
Internal HxWxD (mm)	460 x 350 x 120	460 x 350 x 120
Weight	15kg	19kg
Key Hooks	40	120

Shanghai Safe Deposit Boxes

features

- Ideal for customer facing areas in hotels and banks
- Dual key lock as standard (UL listed)
- Stainless steel facia
- Body designed to be recessed into a wall or wooden clad
- Option of stainless steel pedestal and cornice
- Option of pull-out table
- Option of internal boxes



Compartments per unit	SSDBB 42	SSDBB 24	SSDBB 21	SSDBB 12
Compartment HxW (mm)	76 x 125	125 x 125	76 x 254	125 x 254
Configuration of Boxes HxW	7 x 6	4 x 6	7 x 3	4 x 3
Total size HxWxD (mm)	565 x 826 x 610	565 x 826 x 610	565 x 826 x 610	565 x 826 x 610

Compartments per unit	SSDBB 9	SSDBB 6	Table	Spacer	Base
Compartment size HxW (mm)	125 x 254+254 x 254	254 x 254	-	-	-
Configuration of Boxes HxW	2 x 3+1 x 3	2 x 3	-	-	-
Total size HxWxD (mm)	565 x 826 x 610	565 x 826 x 610	500 x 30(WxH)	75(H)	75(H)

features

- A range of economical key cabinets that offer a high level of security
- Ideal for use in car showrooms, garages, universities, schools and large commercial sites
- 5mm solid steel door and 2mm steel body
- Electronic locking as standard
- Key tags and numbers supplied
- KS 133 is deeper than most cabinets, making it ideal for bunches of keys
- Height adjustable key racks
- Back fixing x 4



KS133

Model	KS27	KS71	KS133
External HxWxD (mm)	360 x 300 x 100	450 x 360 x 150	650 x 420 x 200
Internal HxWxD (mm)	355 x 295 x 25	445 x 355 x 80	645 x 415 x 130
Weight	8kg	15kg	20kg
Key Hooks	27	71	133

Large Storage Cabinets - SDC £1,000 cash rating

Valens Computer Cabinets £3,000 cash rating



TG-5SDC



TG-1SDC

features

- Suitable for the storage of office documents, cigarette cartons, mobile phones, alcohol, drugs, coin and office equipment
- 2mm steel body and door
- Door secured by three way moving boltwork
- One high security key lock as standard*
- Electronic or mechanical combination locking available to order
- Adjustable shelving
- Base fixing x 2

Model	TG-1SDC	TG-3SDC	TG-4SDC	TG-5SDC
External HxWxD (mm)	1200 x 700 x 500	1600 x 700 x 500	1900 x 1000 x 500	1900 x 1200 x 500
Internal HxWxD (mm)	1195 x 695 x 460	1595 x 695 x 460	1895 x 995 x 460	1895 x 1195 x 460
Weight	60kg	85kg	105kg	120kg
Volume (Litres)	380	510	105	120
Shelves	2	2	4	4

*Lock options can only be factory fitted. Please allow 4-6 weeks for alternatives to single key lock.



Valens Computer Cabinet, Size 4

features

- Specifically designed for the storage of laptops and servers
- Laptop versions are equipped with special shelving
- Laptop versions come with 4 ventilation sections to create a good air flow and prevent overheating
- Server versions come supplied with a full ventilation system including, thermostat, 2 fans, 4 ventilation holes and perforated shelving to allow full airflow throughout the cabinet
- Holes, cabling and plugs for charging and running of laptops/servers
- High security key lock as standard
- Option of electronic or biometric locking
- 4mm solid steel door and body
- Specially folded frame prevents jemmy attacks on door
- Tested to Swedish standard SS3492
- Certified by SBSC
- Base fixing



Valens Computer Cabinet, Size 1

Model	Size 1	Size 2	Size 3
External HxWxD (mm)	730 x 550 x 480	840 x 630 x 680	1500 x 550 x 480
Internal HxWxD (mm)	720 x 425 x 400	830 x 620 x 600	1490 x 425 x 400
Volume (Litres)	122	310	253
Weight	115kg	150kg	215kg
No of Shelves	5	1	14
Shelves perforated	No	Yes	No
Fans & thermostat	No	Yes	No
No. of ventilation sections	4	4	4

Model	Size 4	Size 5
External HxWxD (mm)	1600 x 630 x 680	1900 x 630 x 680
Internal HxWxD (mm)	1590 x 620 x 600	1890 x 740 x 600
Volume (Litres)	590	840
Weight	220kg	300kg
No of Shelves	1	1
Shelves perforated	Yes	Yes
Fans & thermostat	Yes	Yes
No. of ventilation sections	4	4

Add 60mm to external depth for handle





2412/CD



2424

features

- Ideal for the storage of controlled drugs and medical supplies
- Models 2412 and 2424 meet the current requirements of the 1973 misuse of drugs act
- CD models meet the higher Sold Secure Silver standard currently promoted by the Home Office Drugs Inspectorate
- All models contain removable shelves
- Smart, easy clean finish
- Back fixing

Model	2412	2424
External HxWxD (mm)	610 x 305 x 230	610 x 610 x 230
Internal HxWxD (mm)	605 x 300 x 200	605 x 605 x 200
Weight	20kg	36kg

Model	1812/CD	2412/CD
External HxWxD (mm)	455 x 305 x 250	610 x 460 x 250
Internal HxWxD (mm)	450 x 300 x 185	605 x 455 x 185
Weight	23kg	40kg



features

- Transportable, high security container
- From the outside it just looks like an ordinary container
- SC10/20 tested and certified to SS3492 by SSF/SBSC
- SC800, SC3000 & SC6000 tested and certified to EN1143-1 Grade 3 by SSF/SBSC
- Ideal for the safe transportation of cash, weapons, explosives and confidential data
- Can also be used as a mobile cash room or an ATM room at temporary events such as festivals, sporting occasions, building sites and pop-up shops
- Option to fit GPS tracking device and motion alarm sensor
- Double door access to maximise the opening space

Model	SC10	SC20	SC800
External HxWxD (mm)	2440x2440x2980	2440x2440x6170	2140x1125x1490
Internal HxWxD (mm)	2110x2110x2560	2110x2110x5660	1750x850x1250
Volume (Litres)	1140	2400	1859
Weight	2050kg	3800kg	1500kg
Cash Rating	£4,000	£4,000	£35,000

Model	SC3000	SC6000
External HxWxD (mm)	2430x2440x2990	2940x2560x6320
Internal HxWxD (mm)	2180x2165x2560	2240x2200x5660
Volume (Litres)	12,100	27,100
Weight	4000kg	9000kg
Cash Rating	£35,000	£35,000



Eurovault Strongrooms Grades 3-12

Kronos & Kratos Strongrooms and Panic Rooms

Strongrooms are ideal for use where either a standard safe is not big enough or where a very high level of security is required.


All our Eurovault Strongrooms are bespoke fabrications to suit the size and security level required by the client. We are able to offer a variety of security grades from EN1143-1 III-XIICD with a choice of either ECBS, SBSC or IMP certificates*.

Eurovault Strongrooms are constructed from pre-fabricated panels that have a special interlocking design. These are then assembled and welded together on site.

Bolted versions are available on request for sites where welding restrictions are in place.

The Strongroom can be altered at a later date or even de-mounted and re-located.

*Please note that some UK insurers will downgrade the rating of products certified by IMP. For UK installations, Burton Safes therefore recommend the use of products certified by ECBS or SBSC



features

- Ideal for the secure storage of cash, jewellery, bullion, controlled drugs, sensitive data and works of art
- Offers a very high level of security
- Custom built to suit your requirements
- Special panic room versions available for private clients
- Available in five or six sided versions
- Can be supplied in a basic format or as a complete turnkey solution

options include

- Seismic sensors, CCTV, Alarms, Fog systems
- Grill/day gates
- Safe deposit boxes
- Ramps
- Intelligent locks with PIN code or Fingerprint operation
- Decoration, lighting and electrics
- Air conditioning




features

- High security rooms built from pre-fabricated steel blocks
- Lighter weight and more versatile than traditional strongrooms
- Easily adapted to your requirements in terms of size and security
- Double walled steel structure with special re-inforced sections
- Special concrete filled panels give the roof and walls extra rigidity
- Blocks are bolted together on site avoiding the need for any on site hot works
- Lightweight panels mean that this strongroom can be used in many different locations
- A special panic room version is available for high net worth private clients
- Extra security can be added with the use of re-inforcement bars and concrete
- Can be adapted for use as ATM Pods
- Ideal as cash rooms, for the storage of sensitive data and evidence, the storage of artwork or computer equipment



Safe Deposit boxes



Strongroom Doors



Talos Strongrooms/Panic Rooms

Access Control TSE



features

- Protect you and your family from violent attack
- Also protect your valuables from theft
- Specifically designed to be used in domestic properties where weight and access can be an issue
- Ideal in situations where space is at a premium due to the low profile panels
- Ideal in situations where a complete enclosure is not required due to part of the room having strong or inaccessible existing walls.
- Choice of security levels to suit your budget and risk level
- Single skinned, profiled steel panels which bolt together on site
- Ballistic protection available
- Can be used in conjunction with the Kratos model to offer a very high level of protection
- Fire protective materials can be added
- Simple to disguise as a normal room, particularly when used in conjunction with Talos Doors
- Very flexible installation process means that this model can be used in almost any environment



Talos Doors

features

- Protect you and your family from violent attack
- Also protect your house from common burglars
- Can be used as external or internal doors
- High security steel construction with high security locking systems
- Tested and certified in Germany to EN1627 levels 2-4
- Ballistic protection available
- External surface of the doors are clad to look exactly like your existing wooden doors
- Each door is individually made to your design
- Your choice of locking system - Key, FOB or Fingerprint
- High quality sound insulation
- High quality thermal insulation
- Up to 45 minutes fire protection



features

- A versatile range of wireless electronic cylinders for business and home use
- Can be uniquely linked with the Burton Bio safe lock on a single system
- Can be networked so that you can remotely control your door and safe locks from one single location
- Cylinders can be controlled via a number of different ident media including Fingerscan, pin code, card, chip & fob
- Special hotel version for bedroom doors
- Very simple and cheap to fit, compared to traditional hard wired access systems
- High security 128 bit AES encryption
- Switch gear and control units allow the integration of existing access systems
- IP 65 and IP 53 ratings available on keypad units
- Suitable for internal or external doors
- Hard wired versions available for heavy use areas
- Time windows, audit trails and user rights can all be programmed via software
- Programme up to 300 cylinders and 2000 users per system



PLEASE ASK FOR OUR SPECIFIC TSE LITERATURE FOR MORE DETAILED PRODUCT INFORMATION

Additional Physical Security Products supplied by Burton Safes



Security Screens



Security & Fire Doors



Bulk Transfer Systems



Pass Through Trays



Night Pay Systems



Security Cages



Cash Trolleys



Ballistic & Security Glass



Manhole Lock



ATM Protection



Auditcon Kaba 525 Kaba 528 Twinlock Techmaster Combistar Pro Biomaster Duo Burton Bio

Service Summary

Burton Safes firmly believe in looking after their customers and making their lives as easy as possible. All Burton branded safes carry a two year warranty in respect of materials and workmanship,* giving you added peace of mind when choosing one of our products.



We have invested in a team of high calibre staff who take pride in their work and like to ensure that our customers receive the best possible experience, from their initial enquiry to after sales help and advice.

Our friendly sales office and technical team are on hand to take your phone calls, answer any questions and ensure that your orders are processed quickly and efficiently.

Our warehouse staff can customise your safe with a variety of locking options and internal fittings. They are experts in

packaging and despatch, making sure that your safe reaches you in perfect condition. We offer a nationwide delivery and installation service and can supply most of the safes listed in this catalogue within 10 working days.** We are able to deliver on named days, within 2 hour time slots if required.

We also offer nationwide after sales service contracts via our sister company, Burton Safes Service Ltd, who employ a team of highly skilled safe engineers.

Burton Safes play an active part in the European safe industry, including the promotion of good quality standards and of ethical trading. We are proud to be members of Eurosafe UK, a trade body that encourages the maintenance of high test standards and good practice. In addition to this we are active members of the influential European safe makers association ESSA, the UK Master Locksmiths Association and the Police run initiatives Secured by Design and Raid Control. We also hold Safe Contractor approved status and an ISO 9001 certificate from LPCB.



*Warranty applicable to the lock is limited to that offered by the lock's manufacturer.

**Please note that some of the more specialist safes are made to order and can take 6-8 weeks to supply.

FOR FURTHER INFORMATION ASK FOR OUR SPECIFIC LITERATURE

